

SAVIKA XBRAKE SERIES

CNC PRESSBRAKES



SMART & HYBRID



Savika BSA press brakes have a flexible design. It can be equipped according to your requirements, from different backgauge options, increased daylight opening, sheet following arms. Easy to use cnc controls with different screen options. Well known hydraulic systems used for an accurate servo control. Robust frame construction optimised to allow the components fitted on the machine to give their utmost performance.



WWW.SAVIKA.SE

BSA SERIES

KEY ADVANTAGES



BUILT TO LAST, TRUSTED FOR DECADES

Rigid frame construction and stable assembly ensure a long service life for our BSA Series—reliability you can trust for decades.

A WORLD OF OPTIONS

A globally recognized brand of CNC controllers and units, offering extensive customization for your press brake with multi-axis capability and advanced failsafe features.



MORE QUALITY LESS SERVICE

Engineered with built-in quality, the system runs so reliably you'll nearly forget about service or maintenance.




BASE STANDARDS

- (Y1, Y2, X) 3 axis Synchro Press Brake
- STEP PX12 2D Programming - 3D visualisation
- Safety covers for side and light barrier for the back
- European Clamping system
- Back gauge : Motorised & Linear guide & Ballscrew system
- Back gauge fingers - height adjustable
- Back gauge motors: AC motors SERVO
- Sliding Front Arms with full length linear guide
- 60mm Die Holder



6 axis Tower Backgauges



Professional Controllers offered



Most preferred Clamping options enabled for tooling



Most convenient safety options available



Robust frame construction optimised to allow the components fitted on the machine to give their utmost performance.

Automatic cnc crowning of the beam positioned for the maximum effectiveness for each individual machine. 2, 4, 5 and 6 axis backgauges. Different clamping options...



WHY CHOOSE HYBRID PRESS BRAKES?

Hybrid press brakes combine the precision of servo-driven motors with the power of hydraulic cylinders, delivering the best of both worlds. Unlike traditional hydraulic systems, hybrids eliminate gear pumps, using intelligent hydraulics to assist the bending process with greater efficiency and control...



SILENT OPERATION




MODULAR DESIGN



POWER UPGRADES



TOP PERFORMANCE



SMART OPERATION



SUSTAINABILITY

Press Brake Specifications



- Length options: 1,300 mm – 6,000 mm
- Capacity options: 40 – 400 tons
- Stroke range: 250 – 350 mm
- Daylight opening: 300 – 400 – 500 mm
- High-speed cycle:
Approach 180 mm/s ·
Pressing 10 mm/s ·
Return 135 mm/s
- Throat depth: 350 – 510 mm
- Standard 3 axes: Y1, Y2, X



**A Dream
Forged in Steel,
Realized in
2025**



SAVIKA - SWEDEN

Global Sales : +90 545 850 1960

Saluco AB / Hantverksgatan 3, 533 33

GÖTENE – SWEDEN

sales@savika.se

www.savika.se

SAVIKA - PRODUCTION

Minareli Çavuş Mh. Mavi Cadde 7.Sokak No.10

Nilüfer 16140 Bursa / TURKEY

Phone : +90-224-342 17 00

